Rosewill®

THE BEST CHOICE IN VALUE

PRODUCT LINE CATALOG

2011

CONSUMER ELECTRONICS

www.rosewill.com

© 2004-2011 Rosewill Inc. All rights reserved

CONSUMER ELECTRONICS

Table of Contents

Health Care

Digital Stick Thermometer..... 3
Ear Thermometer..... 3
Nose & Ear Trimmer 3

Home Appliance

Bread Maker 4
Digital Kitchen Scale..... 4
Ceramic Knife 4
Induction Cooker 4
Thermo Pot 5
Wine Opener Set & Accessories 5
Ceramic Heater 5

Home Theater

Headset 6
Universal Remote Controller 7
Headphone 7
HDMI Switch..... 8
TV Brackets..... 9

LED Lighting

LED Solar Bike Light 12
LED Solar Light Keychains 12
LED PIR Solar Light 12
LED Solar Garden Lights 12
LED Bike Flashlight. 12
LED Head Flashlight 13

Health Care

Health Care

/ Digital Stick Thermometer

R-TFT-01

Specifications	
Model	R-TFT-01
Type	Digital Stick Thermometer
Measurement Time	1.5 – 2 minutes measuring
Dimension	4.53 x1.38 x0.39 inch
Weight	0.11 lbs

Features

The vocal feature of this product is attractive to Children and also very handy for people with vision problem. You can even use it in indoor with dim light.
This device is simplistic and easy to use.
Clear Human Voice
Automatically announces temperature when measurement is done
Memory recall to last measured temperature
FDA Approval

/ Ear Thermometer

i-Ccurate

Specifications	
Model	i-Ccurate
Type	Ear Thermometer
Measurement Range	34°C to 42.2 °C (93.2°F to 108°F)
Measurement Accuracy	0.1°C or 0.1°F
Operating Environment	10°C to 40 °C (50°F to 104°F)

Features

- Contactless - Unlike traditional probe type thermometers that sometimes create discomfort in oral, rectal, or armpit temperature measurement, i-Ccurate is a noncontact thermometer and measures the infrared heat radiated from the ear canal.

- Quick and Accurate- The i-Ccurate calculates fast and accurate measurements in the blink of an eye.

- User-friendly - The built-in audible indicator and backlight makes it practical to use even at night.

RPC-902

Specifications	
Model	RPC-902
Type	Digital Infrared Ear Thermometer Probe Cover

.

Features

Probe Cover box of 40
Use only with Infrared Ear Thermometers

/ Nose & Ear Hair Trimmer

R-NHT-01

Specifications	
Model	R-NHT-01
Type	Nose / Ear / Brow Trimmer
Power Source	1 x AA Battery (Not Included)
Dimensions	4.37” x 0.63” x 0.63”
Color	Black/grey
Material	Aluminum tube

Features

Comfortably and safely remove unwanted hair from nose, ears and eyebrows with this trimmer from Rosewill. With a mini size and portable design, it is easy to carry and uses one “AA” battery (not included). Aluminum tube shows high lever. Blade brush included.

R-NHT-02

Specifications	
Model	R-NHT-02
Type	Nose / Ear / Brow Trimmer
Power Source	1 x AA Battery (Not Included)
Dimensions	5.11” x 1.18” x 1.18”
Color	Rubberized Black + Silver

.

Features

Give your face a clean look with this nose trimmer from Rosewill. Its fine balance can trim the nose, ear and brow hair safety and easily. Rubberized handle offers a comfortable grip and compact body offers added portability.

Click here for more info about this category

Home Appliance

Home Appliance

/ Bread Maker

R-BM-01

Specifications	
Model	R-BM-01
Type	2 lbs. Programmable Bread Maker
Loaf Size	2 lbs.
Timer	Yes
Digital Display	Yes
Color	White
Power	600W
Electrical Requirements	120V~230V; 50~60Hz

Features

Loaf sizes 750-900G(1.5LB-2.0LB)
13 hour programmable delay timer
Cool touch housing
60 minutes “keep warm” function
Adjustable crust control : light, medium or dark
Non-slip feet
Dishwasher safe, non-stick bread pan& kneading blade
Removable bread pan for easy cleaning
“Cool-touch” walls
With 12 digital programs and speed button for fast program Includes measuring cup and spoon

/ Digital Kitchen Scale

R-GLK-05

Specifications	
Model	R-GLK-05
Type	Digital Kitchen Scale Scale
Dimension	7.6 x6.81 x1.18 inch
Weight	1.39 lbs
Material	Stainless Steel Platform

Features

Touch Screen Function
With High Precision Strain Gauge Sensor
Capacity: 3kg/6lb
Division: 1 g
3 Units: kg,g,lb
Over Load Indicator: Err
Low Battery Indicator: Lo
Using Temperature: 0-40?
Relative Humidity: =95%

/ Ceramic Knife

R-CeR-KN-01

Specifications	
Model	R-CeR-KN-01
Type	Cutlery Sets
Name	4-Piece Ceramic Knife
Material	Blade: Ceramic Zirconia, Blade surface treatment: matte Handle: ABS rubberized
Quantity	6” Chef’s knife 5” Utility Knife 4” Utility knife 3” Paring knife
Handle	ABS+TPR

Features

4-piece set includes 6” Chef’s knife, 5” Utility Knife, 4” Utility knife, 3” Paring knife.
Ceramic Blades are Sharper and Last Longer. Hard than Steel and will hold an edge longer.
Resistant to Acids, Germs, and Oils and will not Rust.
Will not affect the taste of food.
Comfortable and easy to use for Precision slicing.

R-CeR-KN-02

Specifications	
Model	R-CeR-KN-02
Type	Cutlery Sets
Name	4-Piece Ceramic Knife Set and Peeler Set
Material	Ceramic Zirconia
Quantity	6” Chef’s knife 5” Utility knife 4” Utility knife Peeler

Features

4-piece set includes 6” Chef’s knife, 5” Utility knife, and 4” Utility knife, horizontal peeler.
Ceramic Blades are Sharper and Last Longer. Hard than Steel and will hold an edge longer.
Resistant to Acids, Germs, and Oils and will not Rust.
Will not affect the taste of food.
Comfortable and easy to use for Precision slicing

/ Induction Cooker

R-IC-1500

Specifications	
Model	R-IC-1500
Type	Induction cooker
Color	Black
Power Supply	120 V / 60 Hz
Power Consumption	1500W
Dimension	12.6 x15 x2.76 inch
Weight	6.73 lbs

Features

Integrated feather-touch switches, 4 digital display, 11 levels of heating power adjustment.
24-hour timer
Full function including braise, deep frying, stir frying, roasting, frying, water boiling, warmth keeping.
High quality black crystal panel, nobleness and elegance

Click here for more info about this category

Home Appliance

/ Thermo Pot

R-HAP-01

Specifications	
Model	R-HAP-01
Type	Hot Water Boiler/Dispenser
Capacity	4.2L
Keep Warm Function	Yes
Automatically Re-boil	Yes
Power	700 W
Dimension	11.42 x8.46 x14.57 inch
Weight	4.62 lbs
Type	Water Boiler & Warmer Dispenser

Features

Tin outer shell
Auto pump
304 inner pot
Bottom heater
Micro-computer PCB
Simple function design:
Water outlet: electric pump and air pump
360 degree rotatable base easy to get water
Reboil design can get 100%boiled water at any time
Stainless steel inner pot
Stainless steel outer shell

/ Wine Opener Set & Accessories

R-WS-001

Specifications	
Model	R-WS-001
Type	Wine Opener
Dimensions	8.66” x 4.53” x 1.18”
Wine Stopper	Height: 9cm (3.54”)
Wine Ring	Dia: 3.5cm (1.38”) Height: 2cm (0.79”)
Wine Thermometer	SS+Glass
Wine Stopper	201SS
Wine opener	SS

Features

Wine stopper: Height: 9cm (3.54”)
Wine ring: Dia: 3.5cm (1.38”) Height: 2cm (0.79”)
Wine opener: Height:11cm (4.33”)
Wine thermometer: SS+Glass
Cutter: 7 x 6cm (2.76” x 2.36”)
Wine stopper: ZINC ALLOY+SILICAER
Wine ring: 201SS
Wine opener: SS

R-WS-001

Specifications	
Model	R-WO-H01
Type	Wine Opener
Dimensions	10.9” x 2.05” x 2”
Weight	1.03 lbs.
Material	Stainless Steel
Weight	1.03 lbs.

Features

The Rosewill R-WO-01 Wine Opener is a bar/kitchen essential. It takes about 8 seconds to open the cork and operates on 4-piece alkaline “AA” battery. Full batteries allows up to 70 bottles to be opened easily. Stainless steel construction makes it durable.

/ Ceramic Heater

R-HM-001

Specifications	
Model	R-HM-001
Power Consumption	1500 Watts
Radiator Material	Ceramic
Thermostat	Yes
Overheat Protection	Yes

.

Features

Quick Heat ceramic heat
Safety tip over switch
Adjustable Thermostat maintains desired temperature
Three settings: fan, low and high
Overheat cut-off protection
Recessed handle
Power light
Cool-to-touch exterior

Home Theater

RHM-6308

Specifications	
Model	RHM-6308
Type	Headset
Frequency Response	10Hz-25KHz
Input Impedance	50 ohm
Sensitivity	97dB ± 3dB
Connector	USB
Ear Coupling	Circumaural
Cord Length	6.6 Feet.
Microphone	
Frequency Response	70Hz-20KHz
Mic.Sensitivity	-47dB± 3dB

Features

Virtual 7.1 surround sound with powerful 40mm driver unit deliver precision sounds and explosive bass Commands, explosions, and sniper shots sounds are fantastic through the high-quality speakers.
Constructed with ergonomic design for extend gaming session, adjustable headband and full-sized soft ear cushions hug your head and ear comfortably.
Light weight: 8.8 oz.
Flexible bloom: allow microphone position adjustment.
Excellent uni-directional microphone: reduces back-ground noise for clear conversation

RHM-556

Specifications	
Model	RHM-556
Type	Headset
Frequency Response	10Hz-25KHz
Input Impedance	50 ohm
Sensitivity	97dB ± 3dB
Connector	3.5mm
Ear Coupling	Circumaural
Cord Length	9.8 Feet.
Microphone	
Frequency Response	70Hz-20KHz
Mic. Sensitivity	-38dB ± 3dB

Features

Special patented structure which folds the actual head-phone into a small foot ball saving your desk space or the drawers!
Featuring 40mm Special Mylar Cone speaker generates amazing surround sound with bass this small headphone gives you the whole new sound experience!
Ear shaped pads provides complete shielding for clearer, crispier sound or music to your expectations. Best of all, the Omnidirectional MIC is hidden right in the headphone housing, no more banding, twisting or turning around the MIC just simply hide it back to the headphone!

RHM-556U

Specifications	
Model	RHM-556U
Type	Headset
Frequency Response	10Hz-25KHz
Input Impedance	50 ohm
Sensitivity	100dB ± 3dB
Connector	USB
Ear Coupling	Circumaural
Cord Length	3.93 ft..
Microphone	
Frequency Response	70Hz-20KHz
Mic.Sensitivity	-47dB ± 3dB

Features

Ever wondered how much a headset can do for you?
Special patented structure which folds the actual headset into a small foot ball saving your desk space or the drawers!
Featuring 40mm Special Mylar Cone speaker generates amazing surround sound with bass this small headset gives you the whole new sound experience!
Ear shaped pads provides complete shielding for clearer, crispier sound or music to your expectations.
Best of all, the Omnidirectional MIC is hidden right in the headset housing, no more banding, twisting or turning around the MIC just simply hide it back to the headset!

RH-001

Specifications	
Model	RH-001
Type	Headset
Frequency	20-20k Hz
Max. Input Power	100mw
Sensitivity	102dB±4dB
Connector	2*3.5mm Jack
Cord Length	6-feet
Microphone	
Frequency	50-16k Hz
Mic.Sensitivity	-60dB±3dB

Features

- Full-range stereo sound
- Ideal for Video Conferencing, Gaming, Music, and Movies
- Compatible with Win7

RH-40C

Specifications	
Model	RH-40C
Type	Headset
Frequency	20Hz–20KHz
Sensitivity	-60dB ± 3dB
Connector	3.5mm
Cord Length	6-feet
Microphone	
Frequency	50-16k Hz
Mic.Sensitivity	-60dB±3dB

Features

- In-line volume control
- Full-range stereo sound
- Superior Audio Performance
- Comfortable headset allows long duration of use
- Ideal for Video Conferencing, Gaming, Music,and Movies Compatible with Win7

Home Theater

Universal Remote Controller

RRC-126

Specifications	
Model	RRC-126
Type	Remote Control
Button Number	48
Color	Black
Wireless Technology	Infrared
Receiver	USB IR Receiver
Batteries	AAA battery x 2
Dimensions	1.57” x 7.28” x 0.94”

Features

Certified for Windows Vista Home Premium, Windows Vista Ultimate, Windows 7 Home Premium, Windows 7 Professional and Windows 7 Ultimate operating systems, the Rosewill RRC-127 Media Center Infrared Remote Control pushes your media center experience to a new level with an official Green Button and shortcut buttons for launching My Video, Photo, My Radio, Favorites and more.

RRC-127

Model	RRC-127
Type	Remote Control
Button Number	48
Color	Black
Wireless Technology	Infrared
Receiver	USB IR Receiver
Batteries	AAA battery x 2

Certified for Windows Vista Home Premium, Windows Vista Ultimate, Windows 7 Home Premium, Windows 7 Professional and Windows 7 Ultimate operating systems, the Rosewill RRC-127 Media Center Infrared Remote Control pushes your media center experience to a new level with an official Green Button and shortcut buttons for launching My Video, Photo, My Radio, Favorites and more.

R-W320-T

Model	R-W320-T
Type	Wireless Audio/Video IR Remote Control Extender.
Transmit Frequency	418 MHz
Modulation Type	ASK
Transmit Power	1mW (FCC)
Frequency Accuracy	±1MHz
Remote Range	5m(Min)
Extension Range	30m, Min

Compatibility - The Rosewill R-W320-T works with any remote control for digital TV converter box, set-top box, Cable, Satellite, TiVo, DVD player, Blu-ray player, TV and more.

Function - The IR extender wirelessly transmits remote control signal without line of sight, so you can operate components you can’t see like adjusting volume of your receiver in another room or in a cabinet.

/ Headphone

RH-189

Model	RH-189
Type	Earphones
Frequency Response	10Hz-22KHz
Input Impedance	16 ohms ±15%
Sensitivity	106dB ± 3dB
Connector	3.5mm
Ear Coupling	Canal
Cord Length	3.9 feet
Weight	0.71 oz.

Petite ear buds hide you in the crowd, anywhere you go! Total portability brings you a whole new aspect of on the go music. Slick and trendy design of the whole new RH-189 with titanium mylar cone and aluminum housing generates soft music and the best of all; its clarity will take your mind flying in the sky.

R-PAS-01

Model	R-PAS-01
Type	Headphone Amplifier
Frequency Response	10Hz - 100 kHz
THD	<0.01% (35mW)
Signal to Noise Ratio	100 dB (A Weight)
Connector	3.5mm
Weight	0.03 lbs.

This sound enhancer is designed to help improving sound quality for music after MP3 or MP4 compression.
Enrich you life with music of quality sound.
Enhancer in classic vacuum tube shape, easy for carry
Build in Li-Polymer battery, full charging for 6 hours us-age.
Suitable for MP3 or MP4 media player
Improve the volume, extend the playback time of media player. Improve the bass performance.
Special circuit layout, reduce the pop sound
Two LED indicators, easy to know using or charging

Home Theater

HDMI Switch

Specifications

RME-313R

Model	RME-313R
Type	HDMI Switch
Color	Black
Terminations	3 in 1 out
DTV/HDTV	1080i/p, 720p, 480p, 576p
Dimensions	5” x 3” x 1”
Weight	0.5 lbs
Power	5V DC, 15 Watts (max.)

Features

HDMI 1.3 version (Test Spec. 1.3b)
One input port located at front panel for portable devices
Fully support 1080P
100% HDCP Compliant
Auto detection function smart HDMI switcher
Support remote control and manual control
DTS-HD, Dolby TrueHD lossless compressed digital audio compliant
With amplifier & Equalizer, transmit longer without distortion. Stylish plastic housing

RME-416E3

Model	RME-416E3
Type	HDMI Auto Switch w/ Remote control
Color	Black
Connectors	4 in 1 out
Compatible HDMI	1080p fully supported

One touch operation:
Auto detection and smart switching function. You only need to turn on any device connected at input. The smart switching will turn on the TV and auto select input method in your TV. When you turn the TV off, the RME-416E3 and source device will be turned off automatically (or changed to standby mode)
3D Avaliable
HDMI 1.3 version (Test Spec. 1.3b)
Support 12bit color depth
Fully support 1080P
Gold-plated connectors

Home Theater

TV Brackets

RMS-MA6390

Specifications	
Model	RMS-MA6390
Type	Monitor/TV Mounting Kit
TV Size Capacity	37” - 63”
TV Weight Capacity	Max. load 200 lbs.
Profile Range	3.6”
Tilt Range	15° up/down
Pan	180°
Mount Style	Wall
Color	Black
Cable Management	Yes

Features

Steel and aluminum construction, integrated bubble level, cable management
UL Listed, GS/TUV Certificate
Profile: 7.1” - 27.6”
Mount Pattern: 830 x 500 mm (max)

RMS-MT5010

Specifications	
Model	RMS-MT5010
Type	Monitor/TV Mounting Kit
TV Size Capacity	37” - 50”
TV Weight Capacity	Max. load 132 lbs
Profile Range	3.6”
Tilt Range	+15° to -15°
Swivel Range	n/a
Mounting Pattern	675 mm x 500 mm max
Color	Black
Dimension	33.3”x13”x3.7”
Weight	19 lbs

Features

Universal design to fit most 37” to 50” flat-panel screens
Heavy-gauge steel construction with powder-coated finish
Lockable design to ensure the safety of your display (lock not included)
Tilts up and down for better viewing angle
Integrated bubble level
Cable management
Quick and easy installation
Hardware for wood stud or concrete installation
Tilts up and down

RMS-MT3710

Specifications	
Model	RMS-MT3710
Type	Monitor/TV Mounting Kit
TV Size Capacity	23” - 37”
TV Weight Capacity	Max. load 88 lbs
Profile Range	3.5”
Tilt Range	+15° to -15°
Swivel Range	n/a
Mounting Pattern	445 mm x 320 mm max
Color	Black
Dimension	24.3”x11.7”3.4”
Weight	13 lbs

Features

Universal design to fit most 23” to 37” flat-panel screens
Heavy-gauge steel construction with powder-coated finish
Lockable design to ensure the safety of your display (lock not included)
Tilts up and down for better viewing angle
Integrated bubble level
Cable management
Quick and easy installation
Hardware for wood stud or concrete installation

RMS-MA5010

Specifications	
Model	RMS-MA5010
Type	Monitor/TV Mounting Kit
TV Size Capacity	37” - 50”
TV Weight Capacity	Max. load 132 lbs.
Color	Black
Mount Style	Wall
Movable	Tilt: 15° down. Pan: 90°

Features

Full-motion LCD/Plasma TV Wall Mount
Steel and aluminum construction
Integrated bubble level
Lockable for added security (lock not included)
Profile: 5.0” - 16.0”
Mount Pattern: 800 x 500 mm (max)

RMS-MT6010

Specifications	
Model	RMS-MT6010
Type	Monitor/TV Mounting Kit
Mount Style	Wall
Color	Black
TV Size Capacity	26” - 60”
TV Weight Capacity	Max. load 198 lbs.
Color	Silver
Cable Management	Yes

Features

Universal Tilt LCD/Plasma TV Wall Mount
Sturdy steel construction
Expandable, integrated level, lockable safety
UL Listed, GS/TUV Certified
Profile: 3.6”
Mount Pattern: 800 x 540 mm (max)

Click here for more info about this category

Home Theater

TV Brackets

RMS-MT4020

Specifications	
Model	RMS-MT4020
Type	Monitor/TV Mounting Kit
Name	Tilt Wall Mount
TV Size Capacity	23” - 37”
TV Weight Capacity	Max. load 88 lbs.
Color	Black
Mount Style	Wall
Movable	Tilt: 15° down

Features

Universal Tilt LCD/Plasma TV Wall Mount
Sturdy steel construction
Lockable safety bar for added security (lock not included)
Profile: 6.3 cm (2.5”)
Mount Pattern: 500 x 320 mm (max)

RMS-MT6020

Specifications	
Model	RMS-MT6020
Type	Monitor/TV Mounting Kit
Name	Tilt Wall Mount
Mount Style	Wall
Color	Black
TV Size Capacity	37” - 60”
TV Weight Capacity	Max. load 165 lbs.
Color	Black
Size	6.7”x35.8”x3.5”

Features

Universal Tilt LCD/Plasma TV Wall Mount
Sturdy steel construction
Lockable safety bar for added security (lock not included)
Profile: 2.5”
Mounting Pattern: 800 x 500 mm (max)

RMS-MA2740

Specifications	
Model	RMS-MA2740
Type	Monitor/TV Mounting Kit
TV Size Capacity	13” - 27”
TV Weight Capacity	Max. load 40 lbs
Profile Range	2.8” - 9.9”
Tilt Range	+15° to -15°
Swivel Range	90° left to 90° right
VESA Compatible	VESA 75, VESA 100
Color	Black
Dimension	8.1”x6.9”x2.4”
Weight	2.43 lbs

Features

Designed to fit most 13” to 27” flat-panel screens
Extend, retract, tilt and swivel your TV for optimum viewing angle
Solid aluminum alloy construction
Integrated bubble level
Quick and easy installation
Hardware for wood stud or concrete installation
Profile Range: 2.8” - 9.9”

RMS-MS2740

Specifications	
Model	RMS-MS2740
Type	Monitor/TV Mounting Kit
TV Size Capacity	13” - 27”
TV Weight Capacity	Max. load 40 lbs
Swivel Range	90° left to 90° right
Tilt Range	+15° to -15°
Swivel Range	90° left to 90° right
VESA Compatible	VESA 75, VESA 100
Color	Black
Dimension	7”x7”x2.4”
Weight	1.5 lbs.

Features

Tilt/Swivel LCD Monitor Wall Mount
Solid aluminum alloy construction
Integrated bubble level
Profile: 7.2 - 16.2 cm (2.8 - 6.4”)
Mount Pattern: 100 x 100 mm (max)

RMS-MT2710

Specifications	
Model	RMS-MT2710
Type	Monitor/TV Mounting Kit
TV Size Capacity	13” - 27”
TV Weight Capacity	Max. load 44 lbs
Tilt Range	+15° to -15°
VESA Compatible	VESA 75, VESA 100
Color	Black
Dimension	7.28”x 5.04””x2.80”
Weight	1.54 lbs.

Features

Designed to fit most 13” to 27” flat-panel screens
Tilts up and down for better viewing angle
Solid aluminum alloy construction
Integrated bubble level
Quick and easy installation
VESA 75 and 100 compatible
Hardware for wood stud or concrete installation
Profile Range: 2.8”

Home Theater

TV Brackets

RMS-MT2790

Specifications	
Model	RMS-MT2790
Type	Monitor/TV Mounting Kit
TV Size Capacity	13” - 27”
TV Weight Capacity	Max. load 44 lbs
Profile Range	3.7”
Tilt Range	+13.8°to -13.8°
Swivel Range	35° left to 35° right
Mounting Pattern	VESA 75, VESA 100
Color	Silver
Dimension	7”x5”3.6”
Weight	1.8 lbs

Features

Designed to fit most 13” to 27” flat-panel screens
Tilt and swivel ensure the optimum viewing angle
Solid aluminum alloy construction
Integrated bubble level
Cable management
Quick and easy installation
VESA 75 and 100 compatible
One-touch tilt adjustment -- no knobs to loosen
Fully rotatable (landscape to portrait)
Hardware for wood stud or concrete installation

RMS-MA3220

Specifications	
Model	RMS-MA3220
Type	Monitor/TV Mounting Kit
TV Size Capacity	15” - 32”
TV Weight Capacity	Max. load 40 lbs
Range	2.1” - 13.8”
Tilt Range	15° up, 10° down
Swivel Range	Up to 180°
Mount Style	Wall
Color	Black
Dimension	9.84””x12”x2.05”
Weight	3.95 lbs.

Features

Profile 2.1” - 13.8”
Mount Pattern 200 mm x 200 mm (max)
Integrated level, cable management
GS/TUV Certified

RMS-MA3210

Specifications	
Model	RMS-MA3210
Type	Monitor/TV Mounting Kit
Mount Style	Wall
Color	Silver
TV Size Capacity	17” - 32”
TV Weight Capacity	Max. load 55 lbs.
Color	Silver
Cable Management	Yes

Features

Full-motion LCD Wall Mount
Sturdy steel construction
Profile: 10.8- 35 cm (4.3 - 13.8”)
Mount Pattern: 200 x 200 mm (max)

Movable: Tilt: 15° up/down, Pan: 180°

RMS-MF2720

Specifications	
Model	RMS-MF2720
Type	Monitor/TV Mounting Kit
TV Size Capacity	13” - 27”
TV Weight Capacity	Max. load 55 lbs
Profile Range	0.6”
Tilt Range	n/a
Swivel Range	n/a
Mounting Pattern	VESA 75, VESA 100
Color	Black
Dimension	6.3”x5.2”x0.8”
Weight	1.3 lbs

Features

Designed to fit most 13” to 27” flat-panel screens
Ultra-slim design maximizes the sleek look of flat panel screens
Solid steel construction
Quick and easy installation
VESA 75 and 100 compatible
Hardware for wood stud or concrete installation
Safety screws included
Powder-coated finish

Click here for more info about this category

LED Lighting

LED Solar

/ LED Solar Bike Light

RSF-110

Specifications	
Model	RSF-110
Type	LED Bike Light
Charging Through	Solar Panel & USB Cable
Charger	Solar 6V 55mAh/H Mini USB 400mAh/H
LED	1Watt LED
Light Output	66~80 Lumens
Battery	3 x AA rechargeable Ni-MH batteries (Not included)
Runtime	10~70 hours
Water Proof	IP65

Features

Solar powered light for your tool or garden shed.
PIR motion sensor with detection range up to 18 feet.
Separate Light & Panel with 16 feet Cable.
3 x 900mAh Ni-MH AA batteries built-in batteries enable 1 Watt LED lights up Sheds, Garages, Green Houses.
The high-efficient polycrystalline silicon solar panel charges built-in batteries during the day even in cloudy conditions.
No electrician Needed, easy installation.
Waterproof and maintenance Free.

/ LED Solar Light Keychains

RSF-100

Specifications	
Model	RSF-100
Type	Solar Flash Light
Light Source	3pcs White LED
Quantity	5 pcs in package
Solar Panel	4.5V, 2mA
Battery	1pc 40MAh lithium rechargeable battery
Dimensions	2.13” x 1.38” x 0.59”

Features

4.5V, 2mA solar panel
3pcs white LED
1pc 40MAh lithium rechargeable battery
With a Key-Chain

/ PIR Solar LED Light

RSL-112

Specifications	
Model	RSL-112
Type	PIR Solar Light
Color(s)	White
Material(s)	Plastic
LED	1watt power LED
Battery	3 x 900mAh Ni-MH rechargeable batteries
Sensor	PIR sensor
Sense Range	18 Feet
Light Duration per detection	40 seconds

Features

Solar powered light for your tool or garden shed.
PIR motion sensor with detection range up to 18 feet.
Separate Light & Panel with 16 feet Cable.
3 x 900mAh Ni-MH AA batteries built-in batteries enable 1 Watt LED lights up Sheds, Garages, Green Houses.
The high-efficient polycrystalline silicon solar panel charges built-in batteries during the day even in cloudy conditions.
No electrician Needed, easy installation.
Waterproof and maintenance Free.

/ Solar Garden LED Light

RSL-100

Specifications	
Model	RSL-100
Type	Solar Garden Light
Color(s)	Black
Material(s)	Plastic
LED	1 x super bright white LED
Battery	1 x 400mAh Ni-Cd AAA Rechargeable Battery
Light Duration	8 hours
Package	6pcs/set

Features

Powerful High-efficient Polycrystalline Silicon Solar Cell
Super Bright White LED enables to decorate and light your garden
1 x 400mAh Ni-Cd AAA Rechargeable Battery
The Sun Charges the Built-in Battery during the Day
Automatically Turns on at Night
8 hours duration after fully charged
Waterproof. No wiring needed; no energy costs
Maintenance Free. No electrician needed;
Easy Installation
6pcs per set

/ LED Bike Flashlight

RFL-101

Specifications	
Model	RFL-101
Type	Bike Flashlight
Material	Aluminum
LED	3Watt LED
Light Output	140~150 Lumens
Battery	3 x AAA batteries (Not included)
Runtime	Up to 10 hours
Water Proof	IP64
Weight	5.29 ounces
Dimension	1.18” (Dia) x 3.94” (L)

Features

High-strength aluminum body
Durable 3Watt LED maximizes output and runtime; never needs replacing
Convex lens create a smooth, powerful beam
Powered by three AAA batteries (not included)
Easy to install with bicycle bracket, ideal for mountain climbing, biking, camping, hiking and other outdoor sports
Corrosion resistant (aluminum 6463 T6 aircraft grade)
Water resistant, shock proof

LED Lighting

LED Head Flashlight

RFL-200

Specifications

Model	RFL-200
Type	Head Flashlight
Material	Plastic
LED	1Watt LED
Light Output	70 Lumens
Battery	3 x AA batteries (Not included)
Runtime	Up to 25 hours
Water Proof	IP64
Weight	5.47 ounces

Features

Durable 1Watt LED maximizes output and runtime; never needs replacing
Convex lens create a smooth, powerful beam
Powered by three AA batteries (not included)
Adjustable light head: up to 45 degree toward lower side
Water resistant, shock proof